



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/613,598 | 07/03/2003 | Kenichi Takano | HT03-004 | 7267 |

7590 12/05/2006
GEORGE O. SAILE
28 DAVIS AVENUE
POUGHKEEPSIE, NY 12603

| |
|---------------|
| EXAMINER |
| CHEN, TIANJIE |

| | |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
| 2627 | |

DATE MAILED: 12/05/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/613,598

Applicant(s)

TAKANO, KENICHI

Examiner

Tianjie Chen

Art Unit

2627

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 October 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-32 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Non-Final Rejection (RCE)

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 10/24/2006 has been entered. Claims 1-32 are pending.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 1- 32 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Newly amended claims 1, 9, 17, and 25 recite "a pair of opposing permanent magnet layers separated by a first gap and magnetized in a first direction, that abut, and do not overlap in any way, including a direct connection to another magnetic material, said free layer, thereby providing longitudinal bias thereto." However, Applicant's Figs. 4 and 5 shows a "detailed implementation of the invention," wherein a pair of opposing permanent magnet layers 11 separated by a first gap and

Art Unit: 2627

magnetized in a first direction, that abut free layer and **do overlap** shield layer 41, which is an another magnetic material. It clearly shows that Applicant does not have passion of the claimed feature of "do not overlap in any way, including a direct connection to another magnetic material."

The rest claims are rejected for their dependence from the independent claims, respectively

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1, 5, 17, and 21 are rejected under 35 U.S.C. 102(e) as being anticipated by Gill (US 6,822,836).

Claims 1 and 17: Gill shows a method in Figs. 3 and 4 to enhance stability of a free layer/or a magnetic read head having a free layer with enhanced stability and signal strength (Column 2, lines 21-240), while retaining free layer signal strength, in a magnetic read head, including: providing a pair of opposing permanent (hard) magnet layers 88 (Fig. 3, column 3, lines 57-58) separated by a first gap and magnetized in a first direction 150 (Fig. 4; column 5, lines 50-54), that abut, and do not overlap, the free layer 68 (Fig. 3), thereby providing longitudinal bias thereto; forming, at a distance above the permanent magnet layers 88, a pair of opposing

Art Unit: 2627

additional bias layers 142 that are separated by a second gap that is less than the first gap; and then magnetizing the additional bias layers in a second direction 164 (Fig. 4) that is antiparallel to the first direction 150.

Claims 5 and 21; Gill shows that distance above/or below the permanent magnet layer is the sum of the thickness of layers 138 (0.8 nm), layer 134 (8 nm), and layer 130 (5 nm), which is 13.8 nm = 138 Angstroms.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 9, 13, 25, and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gill in view of Nagasaka et al (US 2003/0123200).

Claims 9 and 25: as described above, Gill shows a method to enhance stability of a free layer/or a magnetic read head having a free layer with enhanced stability and signal strength, while retaining free layer signal strength, in a magnetic read head, including: providing a pair of opposing permanent magnet layers separated by a first gap and magnetized in a first direction, that abut, and do not overlap, the free layer 68, and thereby providing longitudinal bias thereto; forming, at a distance above the permanent magnet layers, a pair of opposing additional bias layers that are separated by a second gap that is less than the first gap; and then magnetizing the additional bias layers in a second direction that is antiparallel to the first direction.

Art Unit: 2627

Gill does not show that the additional bias layers are below the permanent magnetic layers.

Nagasaka et al shows that in a magnetoresistive head the layers can be stacked in a forward direction (top-type layers) and also can be stacked in a backward direction (bottom-type layers) ([0053]). One of ordinary skill in the art would have been motivated to include the backward-stacked configuration as an alternative in Gill's device. In thus constructed device, the additional bias layers are below the permanent magnetic layers.

Claims 13 and 29, Gill shows that distance above/or below the permanent magnet layer is the sum of the thickness of layers 138 (0.8 nm), layer 134 (8 nm), and layer 130 (5 nm), which is 13.8 nm = 138 Angstroms.

5. Claims 2-5, 6-8, 10-12, 14-16, 18-20, 22-24, 26-28, and 30-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gill/or Gill and Nagasaka et al in view of Fukui et al (US 2004/0047087).

Claims 2, 10, 18, and 26; Gill/ or combination of Gill and Nagasaka et al does not show coercivity in detail.

Fukui et al further shows a magnetic head wherein the additional bias layer is CoFe/IrMn ([0044] line 9) whereby it has good exchange coupling field with antiferromagnetic layers. Fukui et al further shows that the permanent magnet layer should have coercivity of 2 KOe ([0029] lines 3-4). And the resulted coercivity is the difference between the coercivity of the permanent magnet and the coercivity of the additional bias layer. In instance case, the resulted coercivity is 1 KOe ([0029] lines 1-2), the coercivity of the permanent magnet is 2 KOe. Therefore, the effective coercivity

Art Unit: 2627

of the additional bias layer is $2 \text{ KOe} - 1 \text{ KOe} = 1 \text{ KOe}$; which is 0.5 times that of the permanent magnetic layer.

It would have been obvious at the time the invention was made to one of ordinary skill in the art to apply the material having specified coercivity into Gill (and Nagasaka et al)'s device. The rationale is as follows: Fukui et al teaches that in the particular system, the coercivity of the film can be optionally controlled ([0029, line 12-14). One of ordinary skill in the art would have been motivated to apply the configuration for controlling the coercivity.

Claims 3, 11, 19, and 27; Gill shows that the layer 120 has a thickness of 6-14 nm (Column 6, lines 58-59, layer 130 has a thickness of 1-5 nm, layer 134 has a thickness of 2-3 nm, and layer 138 has a thickness of about 1 nm. It leads to that layer 142 would have a thickness of 0-8 nm. Gill shows that the permanent magnetic layer has a thickness of the summation of the magnetoresistive element of $54+58+64+92$, but does not specify the thickness.

Fukui et al shows a similar magnetoresistive head, wherein the thickness of the magnetoresistive element of layers $100+101+102+103+104$ has thickness of 28.8 nm ([0028]). One of ordinary skill in the art would have been applied the thickness specified by Fukui et al into Gill (and Nagasaka et al)'s device. In the resulted device, the additional bias layer is deposited to a thickness that is 0.02 microns (20nm) less than that of the permanent magnet layer.

Claims 4, 12, 20, and 28; Gill does not specify the width of the gap. Fukui et al shows that the first gap and the second gap should be the track width, which are between about 0.1 and 0.2 microns ([0008] lines 1-3; and Fig. 11) and it provides

Art Unit: 2627

narrow track having high sensitivity and stability ({0012}). One of ordinary skill in the art would apply this width for getting high sensitivity and stability.

Claims 6-8, 14-15, 22-24, and 30-32: Gill shows that his invention can be used for any GMR magnetic head (Column 8, lines 9-13). Fukui et al shows the magnetic read head is a CIP GMR head/a CPP GMR head/a TMR head ([0049]), which are all GMR head, One of ordinary skill in the art would have recognized that Gill's head including all type listed above.

Response to Arguments

6. Applicant's arguments filed 10/24/2006 have been fully considered but they are not persuasive.

- Applicant keeps recites features from Gill's Fig. 5 for making argument and argues that Fig. 5 is not an another embodiment.

Examiner's answer: Examiner only recites Gill's Fig. 3 in rejection. Gill's Fig. 5 has nothing to do with the rejection. Gill has also clearly stated in column 2, lines 44-49 that Fig. 3 is a first preferred embodiment and Fig. 5 is a second preferred embodiment; i.e. they are different embodiments.

- Applicant argues that Gill has layers 134, 138, and 142.

Examiner's position: Applicant's claims recite a pair of opposing additional bias layers, which does not exclude the situation of further having other layers. As far as Gill's embodiment has a pair of opposing additional bias layers 142, limitation recited in Applicant's limitation is met no matter there are or not other layers.

- Rejection maintains.

Art Unit: 2627

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tianjie Chen whose telephone number is (703) 305-7499. The examiner can normally be reached on 8:00-4:30, Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hoa Nguyen can be reached on (703) 305-9687. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


TIANJIE CHEN
PRIMARY EXAMINER